
# Site report 2017 Kharaz YEMEN Population







Psychotic disorder

14.4 %

Epilepsy / seizures

27.7 %

Other

Origin of refugees SOMALIA ETHIOPIA ERITREA YEMEN

Site opened Jan 1991

#### Partners



#### **Key Indicators**

#### CRUDE MORTALITY RATE **U5 MORTALITY RATE** MATERNAL MORTALITY SKILLED BIRTH ATTENDANCE 100% of all births Deaths/1,000 refugees/ Deaths/1,000 refugees/ 0.2 0.20 Deaths month month GAM SAM WATER SUPPLY LATRINE COVERAGE NC Global Acute Malnutrition NC Severe Acute Malnutrition 27 20 Refugees/communal toilets or latrines Liters/ person/ day COMMUNICABLE DISEASES **NON-COMMUNICABLE DISEASES** 37.9 % 14.2 % LRTI Cardiovascular 24.5 % disease URTI -11.7 % 13.6 % 25.9 % LRTI 23.5 % 10 5 % URTI 12.5 % 11.2 % Waterv Respiratory diarrhoea disorders Total 39.1 % 23.8 % Consultations Other 23,738 10.1 % **INJURIES MENTAL HEALTH** Watery diarrhoea 4.5 % 32.9 % Severe 37.1 % emotior Other disor 25.0 %

### **Public Health**

HEALTH STAFFING	INDICATOR	STANDARD		MORBIDITY	INDICATOR	STANDARD	
Number of medical doctors	4	1 : < 50,000	0	Incidence of malaria among children under 5	0		
Number of qualified nurses	17	1 : < 10,000	0	Incidence of watery diarrhoea among	30		
Number of community health workers	15	1 : < 1,000	▲	children under 5			
ACCESS AND UTILIZATION	INDICATOR	STANDARD		Incidence of pneumonia among children under 5	36		
Consultations per trained clinician per day	41	< 50	0	Incidence of pneumonia among over 5	17		
Health utilisation rate (new visits / refugee /	1.3	1 - 4	0	Tuberculosis success rate	100%	< 90%	
year) Proportion of host population consultations	39%			Were any MDR/X-TB cases diagnosed among PoCs?	No	No 🔇	
MORTALITY	INDICATOR	STANDARD		VACCINATION	INDICATO	STANDARD	
Crude Mortality Rate (CMR) (/1000/month)	0.2	< 0.75	0	Full vaccination coverage	57%	< 95%	8
Under-five Mortality Rate (U5MR) (/1000/month)	0.2	< 1.5	0	Measles vaccination coverage	78%	< 95%	8
Infant Mortality Rate (IMR) (/1000 livebirths)	17.0	< 30	0	Source of vaccination data	HIS		
Neonatal Mortality Rate (NNMR) (/1000 livebirths)	7	< 20	0	IN-PATIENT DEPARTMENT (IPD)	INDICATO	R STANDARD	I
OUTBREAK ALERT AND RESPONSE	INDICATOR	STANDARD		Average length of stay (days)	5.5		
Proportion of outbreaks investigated within 48 hours	0%	100%	⊗	Case fatality rate	0.0		
Number of outbreaks reported	3			Hospitalisation rate	22.3	50 - 150	8

### Reproductive Health

ANTENATAL CARE	INDICATOR	STANDARD		FAMILY PLANNING	INDICATOR	STANDARD		
Antenatal care coverage	100%	> 90%	0	Contraceptive prevalence rate	11%	≥ 30%	8	
Coverage of antenatal tetanus vaccination	100%	> 95%	<b>~</b>	Source of contraceptive prevalence data	HIS			
DELIVERY CARE	INDICATOR	STANDARD		SEXUAL AND GENDER-BASED VIOLENCE (SGBV)	INDICATOR	STANDARD		
Proportion of births attended by skilled personnel	100%	≥ 90%	0	Total number of reported rapes	1			
Proportion of births conducted by caesarean section	0%	5 - 15%	⊗	Proportion of eligible rape survivors provided with PEP within 72 hours	100%	100%	0	
Proportion of newborn infants with low birth weight (<2500 gs) (weighed within 72 hrs)	0%	< 15%	0	Proportion of eligible rape survivors provided with ECP within 120 hours	0%	100%	8	
Proportion of teenage pregnancies	1%			SEXUALLY TRANSMITTED INFECTIONS (STIS)	INDICATOR	STANDARD		
Still birth rate ( / 1000 total births / month)	0			Number of genital ulcer diseases	0			
Number of maternal deaths	0			Number of Pelvic Inflammatory diseases	993			
Proportion of maternal deaths investigated within 48 hours		100%						

#### HIV/AIDS

PREVENTION & TREATMENT	INDICATOR	STANDARD		PREVENTION & TREATMENT	INDICATOR	STANDARD	
Proportion of blood units screened for HIV		100%		Number of PoCs receving ART	3		
Condom distribution rate	0.14	> 0.5	8	Proportion of HIV positive mothers who swallowed ARV during delivery		100%	
Proportion of TB patients tested for HIV		100%		PMTCT coverage	0%	100%	8

#### Nutrition

NUTRITION GENERAL	INDICATOR	STANDARD		INFANT AND YOUNG CHILD FEEDING (IYCF)	INDICATOR	STANDARD	
Prevalence of global acute malnutrition (6-59 months)	Not collected			Proportion of children 0-23 months who were put to the breast within one hour of birth	Not collected		
Prevalence of stunting (6-59 months)	Not collected			Proportion of infants aged between 0-5 months who received only breast milk during the previous day	Not collected		
Prevalence of severe acute malnutrition (6 - 59 months)	Not collected			IYCF programmes targeting pregnant and lactating women established or maintained?	Yes		
Prevalence of anaemia in children (6-59 months)	Not collected			MICRONUTRIENT DEFICIENCY	INDICATOR	STANDARD	
Prevalence of anaemia in women of reproductive age (15-49 yrs)	Not collected			Percentage coverage of special nutrition product for prevention of undernutrition in young children (LNS/MNP/FBF)	Not collected		
CMAM: SAM TREATMENT	INDICATOR	STANDARD		MAM TREATMENT	INDICATOR	STANDARD	
Number of new severe acute admissions (6-59 months)	35			Number of new moderate acute admissions (6-59 months)	99		
Recovery rate	100%	> 75%	0	Recovery rate	94%	> 75%	0
Default rate	0%	< 0%	8	Default rate	5%	< 15%	<b>O</b>
Death rate	0%	< 10%	0	Death rate	0%	< 3%	0
Referral rate	0%			Referral rate	1%		

## Water, Sanitation and Hygiene (WASH)

WATER	INDICATOR	STANDARD		WATER STAFFING	INDICATOR	STANDARD	
Average number of litres of potable water available per person per day	27	< 20	0	Number of hygiene promoters	15	1:<20,000	0
Proportion of households collecting >= 15 litres per person per day	Not	collected		SANITATION Refugees per latrine/toilet	INDICATOR	STANDARD	0
Number of persons of concern per water tap	Not collected			Proportion of households with drop-hole	Not collected		
Proportion of tests at chlorinated water collection points indicating a measurable chlorine residual ( >= 0.1 mg/litre) and NTU <5	Not collected			latrine or drop-hole toilet Proportion of households report defecating in a toilet	Not		
Proportion of tests at unchlorinated water collection points showing 0 Faecal Coliforms/ 100 ml	Not	collected		Proportion of communal latrines compliant with UNHCR standards (cleanable slabs, privacy & structural safety)	Not	collected	
Proportion of households collecting drinking water from protected water sources only	Not	collected					
Proportion of households with sufficient daily water storage capacity	Not	collected					